















土壤脱硝施設の運転状況について

十条側	入口濃度			出口(E)濃度			出口(W)濃度			入口濃度 SPM (mg/m3)	出口濃度 SPM (mg/m3)	送風量 m3/h	NOx除去率		NO2除去率		SPM 除去率	
	NO (ppm)	NO2 (ppm)	NOX (ppm)	NO (ppm)	NO2 (ppm)	NOX (ppm)	NO (ppm)	NO2 (ppm)	NOX (ppm)				(E)	(W)	(E)	(W)		
6/1																		
6/2	0.023	0.010	0.033	0.002	0.005	0.007	0.001	0.002	0.003	0.047	0.003	17298	79%	91%	49%	82%	93%	
6/3	0.033	0.012	0.047	0.002	0.006	0.008	0.000	0.001	0.002	0.054	0.000	28695	83%	96%	54%	88%	99%	
6/4	0.030	0.013	0.044	0.001	0.005	0.007	0.000	0.001	0.002	0.062	0.000	28770	84%	96%	57%	89%	100%	
6/5	0.025	0.012	0.038	0.001	0.005	0.007	0.000	0.001	0.002	0.041	0.001	28543	83%	96%	57%	89%	98%	
6/6	0.029	0.016	0.046	0.007	0.008	0.016	0.001	0.001	0.003	0.061	0.001	27920	65%	93%	46%	91%	99%	
6/7	0.022	0.015	0.038	0.001	0.005	0.006	0.000	0.001	0.001	0.066	0.000	28768	85%	97%	69%	94%	100%	
6/8	0.011	0.011	0.024	0.001	0.003	0.004	0.000	0.001	0.001	0.053	0.001	28769	82%	96%	70%	93%	99%	
6/9	0.025	0.014	0.040	0.001	0.005	0.006	0.000	0.001	0.001	0.062	0.002	28769	84%	97%	64%	93%	97%	
6/10	0.022	0.016	0.040	0.001	0.005	0.006	0.000	0.001	0.001	0.071	0.001	28768	84%	97%	69%	94%	98%	
6/11	0.019	0.013	0.033	0.001	0.006	0.007	0.000	0.001	0.001	0.073	0.000	28769	79%	96%	56%	92%	99%	
6/12	0.020	0.010	0.031	0.001	0.004	0.006	0.000	0.001	0.001	0.046	-0.001	28769	82%	96%	58%	93%	102%	
6/13	0.030	0.019	0.050	0.002	0.007	0.009	0.000	0.001	0.002	0.050	0.000	28768	82%	97%	62%	93%	99%	
6/14	0.021	0.014	0.037	0.001	0.005	0.006	0.000	0.001	0.001	0.046	0.002	28768	84%	97%	68%	94%	96%	
6/15	0.013	0.010	0.024	0.001	0.003	0.004	0.000	0.001	0.001	0.041	0.001	28767	83%	96%	71%	95%	99%	
6/16	0.027	0.014	0.043	0.013	0.007	0.021	0.001	0.001	0.002	0.052	0.000	28769	52%	95%	49%	94%	100%	
6/17	0.019	0.015	0.035	0.001	0.005	0.006	0.000	0.001	0.001	0.048	0.003	28769	82%	96%	67%	94%	95%	
6/18	0.018	0.015	0.034	0.001	0.006	0.008	0.000	0.001	0.002	0.049	0.001	28769	78%	96%	60%	92%	97%	
6/19	0.027	0.012	0.041	0.002	0.006	0.009	0.000	0.001	0.002	0.047	0.002	28770	79%	96%	48%	90%	96%	
6/20	0.030	0.011	0.042	0.002	0.006	0.009	0.000	0.001	0.002	0.031	0.002	28099	80%	96%	44%	88%	94%	
6/21																		
6/22																		
6/23																		
6/24																		
6/25	0.029	0.011	0.042	0.001	0.003	0.005	0.000	0.001	0.001	0.059	0.001	28657	89%	97%	74%	93%	98%	
6/26	0.031	0.008	0.041	0.002	0.004	0.006	0.000	0.001	0.001	0.042	0.003	28767	85%	97%	56%	90%	93%	
6/27	0.026	0.010	0.037	0.002	0.004	0.006	0.000	0.001	0.001	0.035	0.002	28767	85%	97%	64%	92%	93%	
6/28	0.025	0.009	0.035	0.001	0.004	0.005	0.000	0.001	0.001	0.045	0.004	28768	86%	97%	62%	92%	91%	
6/29	0.013	0.005	0.020	0.001	0.004	0.006	0.000	0.001	0.001	0.028	0.004	28769	71%	94%	25%	85%	85%	
6/30	0.005	0.005	0.010	0.001	0.003	0.004	0.000	0.001	0.001	0.015	0.008	28768	60%	90%	38%	86%	48%	
平均	0.023	0.012	0.036	0.002	0.005	0.007	0.000	0.001	0.002	0.049	0.002	28233	80%	96%	59%	92%	96%	

・ 6月1日は、午後5時からの供用でありデータが少ないため1日平均値は算出していません。
 ・ 6月21日から24日は、停電によるパソコン周辺機器の停止によりデータが蓄積できていない。










十条側	入口濃度			出口(E)濃度			出口(W)濃度			入口濃度 SPM (mg/m3)	出口濃度 SPM (mg/m3)	送風量 m3/h	NOx除去率		NO2除去率		SPM 除去率
	NO (ppm)	NO2 (ppm)	NOx (ppm)	NO (ppm)	NO2 (ppm)	NOx (ppm)	NO (ppm)	NO2 (ppm)	NOx (ppm)				(E)	(W)	(E)	(W)	
7/1	0.029	0.013	0.043	0.002	0.006	0.008	0.000	0.001	0.002	0.040	0.006	28767	82%	96%	54%	91%	84%
7/2	0.023	0.012	0.037	0.002	0.006	0.008	0.000	0.001	0.002	0.041	0.007	28768	78%	95%	51%	89%	84%
7/3	0.021	0.010	0.033	0.002	0.005	0.007	0.000	0.001	0.002	0.037	0.004	28769	78%	95%	50%	89%	90%
7/4	0.016	0.013	0.030	0.002	0.006	0.009	0.000	0.001	0.002	0.050	0.003	28770	72%	94%	52%	90%	93%
7/5	0.014	0.012	0.028	0.002	0.006	0.008	0.000	0.001	0.002	0.050	0.004	28769	71%	94%	50%	88%	93%
7/6	0.010	0.009	0.021	0.002	0.005	0.007	0.000	0.001	0.002	0.045	0.005	28770	67%	93%	47%	87%	89%
7/7	0.014	0.019	0.035	0.003	0.010	0.013	0.001	0.002	0.003	0.046	0.006	28769	64%	92%	48%	88%	87%
7/8	0.052	0.021	0.074	0.007	0.012	0.019	0.001	0.002	0.004	0.032	0.000	28769	75%	95%	41%	88%	99%
7/9	0.051	0.017	0.070	0.004	0.009	0.013	0.001	0.002	0.003	0.042	0.002	28768	81%	96%	48%	89%	96%
7/10	0.044	0.019	0.064	0.004	0.010	0.014	0.001	0.002	0.003	0.034	0.002	28352	78%	95%	46%	89%	93%
7/11	0.040	0.023	0.065	0.005	0.016	0.021	0.001	0.003	0.004	0.036	0.003	28767	68%	93%	31%	86%	91%
7/12	0.035	0.020	0.057	0.004	0.011	0.014	0.001	0.002	0.003	0.045	0.004	28768	75%	95%	47%	89%	91%
7/13	0.019	0.018	0.040	0.004	0.010	0.013	0.001	0.002	0.003	0.039	0.003	28769	66%	93%	47%	89%	92%
7/14	0.044	0.022	0.069	0.005	0.013	0.018	0.001	0.003	0.004	0.038	0.003	28770	74%	95%	42%	88%	92%
7/15	0.040	0.021	0.064	0.005	0.011	0.016	0.001	0.002	0.003	0.040	0.002	28769	75%	95%	48%	89%	94%
平均	0.030	0.017	0.049	0.004	0.009	0.013	0.001	0.002	0.003	0.041	0.004	28741	74%	95%	46%	88%	95%



山科側	入口濃度			出口(上)濃度			出口(下)濃度			入口濃度 SPM (mg/m3)	出口濃度 SPM (mg/m3)	送風量 m3/h	NOx除去率		NO2除去率		SPM 除去率
	NO (ppm)	NO2 (ppm)	NOX (ppm)	NO (ppm)	NO2 (ppm)	NOX (ppm)	NO (ppm)	NO2 (ppm)	NOX (ppm)				(上)	(下)	(上)	(下)	
6/1																	
6/2																	
6/3																	
6/4	0.048	0.017	0.062	0.001	0.000	0.001	0.001	0.000	0.002	0.044	0.006	28788	98%	97%	98%	98%	87%
6/5	0.090	0.023	0.110	0.015	0.001	0.015	0.015	0.001	0.016	0.050	0.005	26027	86%	86%	96%	96%	90%
6/6	0.040	0.018	0.056	0.008	0.001	0.008	0.005	0.001	0.006	0.038	0.003	27982	85%	90%	96%	96%	91%
6/7	0.060	0.024	0.082	0.002	0.000	0.003	0.005	0.001	0.006	0.066	0.002	28784	97%	93%	99%	96%	96%
6/8	0.035	0.018	0.051	0.001	0.000	0.002	0.004	0.001	0.004	0.046	0.003	28784	97%	91%	98%	97%	94%
6/9	0.072	0.020	0.090	0.003	0.001	0.003	0.007	0.001	0.008	0.066	0.003	28782	96%	92%	97%	95%	95%
6/10	0.059	0.023	0.080	0.003	0.001	0.003	0.006	0.001	0.007	0.067	0.003	28782	96%	91%	97%	97%	96%
6/11	0.057	0.020	0.076	0.002	0.001	0.003	0.007	0.001	0.007	0.077	0.003	28781	96%	91%	97%	97%	96%
6/12	0.053	0.018	0.070	0.002	0.001	0.003	0.005	0.001	0.006	0.047	0.002	28782	96%	92%	97%	97%	95%
6/13	0.041	0.025	0.064	0.002	0.001	0.003	0.006	0.001	0.006	0.031	0.002	28784	96%	91%	97%	98%	94%
6/14	0.034	0.020	0.052	0.002	0.000	0.002	0.006	0.000	0.006	0.036	0.002	28789	96%	89%	98%	99%	93%
6/15	0.022	0.013	0.033	0.001	0.000	0.001	0.005	0.000	0.005	0.033	0.002	28792	97%	85%	99%	100%	94%
6/16	0.021	0.014	0.034	0.001	0.000	0.001	0.005	0.000	0.005	0.041	0.003	28788	96%	86%	99%	99%	94%
6/17	0.019	0.016	0.033	0.001	0.000	0.001	0.004	0.000	0.004	0.035	0.003	28789	97%	87%	99%	99%	93%
6/18	0.036	0.021	0.055	0.002	0.000	0.002	0.006	0.000	0.007	0.042	0.003	28789	97%	88%	99%	99%	93%
6/19	0.034	0.019	0.051	0.002	0.000	0.002	0.007	0.000	0.007	0.038	0.002	28789	96%	86%	99%	98%	94%
6/20	0.058	0.014	0.070	0.003	0.001	0.003	0.006	0.001	0.008	0.026	0.002	28789	95%	89%	96%	92%	92%
6/21	0.030	0.012	0.040	0.001	0.001	0.002	0.002	0.002	0.004	0.023	0.002	28787	96%	89%	95%	80%	90%
6/22	0.015	0.008	0.022	0.000	0.000	0.001	0.001	0.001	0.002	0.017	0.002	28787	98%	92%	99%	89%	89%
6/23	0.063	0.012	0.073	0.003	0.001	0.004	0.004	0.004	0.008	0.024	0.002	28789	95%	89%	90%	64%	93%
6/24	0.057	0.017	0.073	0.002	0.001	0.003	0.004	0.005	0.009	0.035	0.003	28789	95%	88%	94%	72%	93%
6/25	0.020	0.009	0.028	0.000	0.000	0.000	0.001	0.001	0.002	0.022	0.001	28788	99%	94%	99%	90%	94%
6/26	0.072	0.011	0.082	0.002	0.001	0.002	0.004	0.004	0.008	0.032	0.003	28788	97%	90%	95%	65%	91%
6/27	0.060	0.009	0.068	0.001	0.000	0.001	0.002	0.001	0.004	0.022	0.002	28788	98%	95%	98%	84%	91%
6/28	0.099	0.009	0.107	0.003	0.000	0.003	0.005	0.001	0.007	0.047	0.003	28788	97%	94%	96%	84%	93%
6/29	0.095	0.004	0.098	0.004	0.000	0.004	0.002	0.000	0.002	0.020	0.001	28787	96%	98%	100%	97%	94%
6/30	0.071	0.012	0.082	0.005	0.000	0.005	0.007	0.002	0.009	0.023	0.002	28789	94%	89%	97%	85%	92%
平均	0.050	0.016	0.065	0.003	0.000	0.003	0.005	0.001	0.006	0.039	0.003	28655	95%	91%	97%	93%	91%

・6月1日から3日は、パソコンの不具合によりデータが蓄積できていない。



山科側	入口濃度			出口(上)濃度			出口(下)濃度			入口濃度 SPM (mg/m3)	出口濃度 SPM (mg/m3)	送風量 m3/h	NOx除去率		NO2除去率		SPM 除去率
	NO (ppm)	NO2 (ppm)	NOX (ppm)	NO (ppm)	NO2 (ppm)	NOX (ppm)	NO (ppm)	NO2 (ppm)	NOX (ppm)				(上)	(下)	(上)	(下)	
7/1	0.038	0.016	0.052	0.001	0.001	0.002	0.002	0.002	0.004	0.026	0.002	28787	97%	93%	97%	87%	91%
7/2	0.026	0.017	0.042	0.001	0.000	0.001	0.001	0.001	0.003	0.033	0.003	28786	98%	93%	98%	91%	91%
7/3	0.009	0.013	0.020	0.000	0.000	0.000	0.000	0.001	0.001	0.022	0.002	28785	100%	95%	100%	95%	89%
7/4	0.052	0.024	0.075	0.001	0.000	0.001	0.003	0.003	0.006	0.053	0.004	28784	98%	93%	98%	89%	92%
7/5	0.039	0.021	0.059	0.001	0.000	0.001	0.002	0.001	0.003	0.052	0.004	28782	99%	95%	99%	94%	92%
7/6	0.002	0.010	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.038	0.004	28783	100%	100%	100%	99%	89%
7/7	0.010	0.020	0.028	0.002	0.000	0.002	0.003	0.000	0.003	0.036	0.004	28637	91%	90%	99%	99%	90%
7/8	0.075	0.034	0.108	0.002	0.000	0.002	0.003	0.002	0.005	0.029	0.003	28785	98%	95%	99%	95%	90%
7/9	0.042	0.024	0.064	0.001	0.000	0.001	0.001	0.001	0.002	0.036	0.003	28786	98%	96%	99%	96%	92%
7/10	0.157	0.048	0.203	0.004	0.001	0.005	0.006	0.006	0.012	0.041	0.003	28785	98%	94%	98%	88%	92%
7/11	0.120	0.052	0.171	0.003	0.000	0.003	0.006	0.003	0.009	0.037	0.003	28785	98%	95%	99%	94%	91%
7/12	0.014	0.029	0.041	0.000	0.000	0.000	0.001	0.000	0.001	0.036	0.004	28782	99%	98%	100%	99%	90%
7/13	0.005	0.029	0.032	0.000	0.000	0.000	0.000	0.000	0.000	0.036	0.004	28782	100%	99%	100%	100%	89%
7/14	0.083	0.036	0.117	0.001	0.000	0.002	0.005	0.003	0.007	0.034	0.004	28783	99%	94%	99%	93%	89%
7/15	0.043	0.037	0.078	0.001	0.000	0.001	0.002	0.001	0.003	0.039	0.004	28783	99%	97%	100%	97%	91%
平均	0.048	0.027	0.073	0.001	0.000	0.001	0.002	0.002	0.004	0.036	0.003	28774	98%	95%	99%	94%	95%

