















十条側	入口濃度			出口(E)濃度			出口(W)濃度			入口濃度 SPM (mg/m3)	出口濃度 SPM (mg/m3)	送風量 m3/h	NOx除去率		NO2除去率		SPM 除去率	
	NO (ppm)	NO2 (ppm)	NOx (ppm)	NO (ppm)	NO2 (ppm)	NOx (ppm)	NO (ppm)	NO2 (ppm)	NOx (ppm)				(E)	(W)	(E)	(W)		
6/1																		
6/2	0.018	0.008	0.026				0.000	0.002	0.002	0.074	0.001	28770		91%		79%	99%	
6/3	0.016	0.006	0.023				0.000	0.001	0.002	0.055	0.002	28695		91%		77%	96%	
6/4	0.015	0.006	0.022				0.000	0.001	0.002	0.063	0.003	28770		92%		78%	96%	
6/5	0.013	0.006	0.019				0.000	0.001	0.002	0.042	0.002	28532		91%		78%	95%	
6/6	0.015	0.008	0.023				0.002	0.001	0.003	0.062	0.002	27920		86%		82%	96%	
6/7	0.011	0.008	0.019				0.000	0.001	0.001	0.064	0.002	28768		93%		87%	96%	
6/8	0.006	0.006	0.012				0.000	0.001	0.001	0.056	0.002	28769		92%		87%	96%	
6/9	0.012	0.007	0.020				0.000	0.001	0.001	0.062	0.003	28769		94%		87%	95%	
6/10	0.011	0.008	0.020				0.000	0.001	0.001	0.072	0.002	28768		94%		89%	97%	
6/11	0.009	0.007	0.017				0.000	0.001	0.001	0.074	0.002	28769		92%		85%	97%	
6/12	0.010	0.005	0.015				0.000	0.001	0.001	0.047	0.002	28769		93%		86%	96%	
6/13	0.015	0.009	0.025				0.000	0.001	0.002	0.051	0.002	28768		93%		86%	95%	
6/14	0.010	0.007	0.018				0.000	0.001	0.001	0.046	0.003	28768		93%		88%	94%	
6/15	0.007	0.005	0.012				0.000	0.001	0.001	0.041	0.002	28768		93%		89%	94%	
6/16	0.013	0.007	0.021				0.001	0.001	0.002	0.053	0.002	28769		90%		88%	96%	
6/17	0.009	0.007	0.017				0.000	0.001	0.001	0.049	0.003	28769		92%		87%	94%	
6/18	0.009	0.007	0.017				0.000	0.001	0.002	0.050	0.003	28769		91%		85%	94%	
6/19	0.013	0.006	0.020				0.000	0.001	0.002	0.048	0.003	28770		91%		80%	94%	
6/20	0.014	0.005	0.021				0.000	0.001	0.002	0.031	0.003	28131		91%		77%	89%	
6/21																		
6/22																		
6/23																		
6/24																		
6/25	0.015	0.006	0.022				0.000	0.001	0.001	0.063	0.002	28648		95%		87%	97%	
6/26	0.015	0.004	0.020				0.000	0.001	0.001	0.042	0.004	28767		94%		81%	90%	
6/27	0.013	0.005	0.019				0.000	0.001	0.001	0.036	0.003	28767		94%		84%	90%	
6/28	0.012	0.005	0.018				0.000	0.001	0.001	0.045	0.005	28768		94%		83%	89%	
6/29	0.007	0.003	0.010				0.000	0.001	0.001	0.028	0.005	28769		88%		69%	83%	
6/30	0.002	0.002	0.005				0.000	0.001	0.001	0.016	0.008	28768		80%		72%	48%	
平均	0.012	0.006	0.019				0.000	0.001	0.002	0.051	0.003	28692		92%		83%	92%	

- ・ 6月1日は、午後5時からの供用でありデータ量が少ないため1日平均値は算出していません。
- ・ 6月21日から24日は、停電によるパソコン周辺機器の停止によりデータが蓄積できていない。
- ・ 出口(E)の濃度は、測定器に不具合が発生していたため、欠測処理とする。










十条側	入口濃度			出口(E)濃度			出口(W)濃度			入口濃度	出口濃度	送風量 m3/h	NOx除去率		NO2除去率		SPM 除去率
	NO (ppm)	NO2 (ppm)	NOX (ppm)	NO (ppm)	NO2 (ppm)	NOX (ppm)	NO (ppm)	NO2 (ppm)	NOX (ppm)	SPM (mg/m3)	SPM (mg/m3)		(E)	(W)	(E)	(W)	
7/1	0.015	0.006	0.022				0.000	0.001	0.002	0.041	0.007	28767		92%		82%	84%
7/2	0.011	0.006	0.018				0.000	0.001	0.002	0.041	0.007	28768		90%		78%	82%
7/3	0.011	0.005	0.017				0.000	0.001	0.002	0.038	0.004	28769		90%		77%	89%
7/4	0.008	0.006	0.015				0.000	0.001	0.002	0.051	0.004	28770		89%		80%	92%
7/5	0.007	0.006	0.014				0.000	0.001	0.002	0.051	0.004	28769		87%		77%	92%
7/6	0.005	0.004	0.010				0.000	0.001	0.002	0.046	0.006	28770		86%		73%	88%
7/7	0.007	0.009	0.017				0.001	0.002	0.003	0.048	0.007	28769		84%		77%	85%
7/8	0.026	0.010	0.037				0.001	0.002	0.004	0.033	0.002	28769		90%		76%	93%
7/9	0.025	0.009	0.035				0.001	0.002	0.003	0.042	0.003	28768		91%		78%	92%
7/10	0.022	0.009	0.032				0.001	0.002	0.003	0.036	0.003	28352		91%		78%	92%
7/11	0.020	0.011	0.032				0.001	0.003	0.004	0.035	0.004	28767		87%		72%	88%
7/12	0.017	0.010	0.029				0.001	0.002	0.003	0.045	0.005	28768		89%		77%	89%
7/13	0.010	0.009	0.020				0.001	0.002	0.003	0.040	0.004	28769		86%		78%	91%
7/14	0.022	0.011	0.034				0.001	0.003	0.004	0.039	0.004	28769		89%		76%	90%
7/15	0.020	0.011	0.032				0.001	0.002	0.003	0.041	0.004	28769		89%		79%	91%
7/16																	
7/17																	
7/18																	
7/19																	
7/20																	
7/21																	
7/22																	
7/23																	
7/24																	
7/25																	
7/26																	
7/27																	
7/28																	
7/29																	
7/30																	
7/31																	
平均	0.015	0.008	0.024				0.001	0.002	0.003	0.042	0.005	28741		89%		77%	89%

・ 出口(E)の濃度は、測定器に不具合が発生していたため、欠測処理とする。



山科側	入口濃度			出口(上)濃度			出口(下)濃度			入口濃度 SPM (mg/m3)	出口濃度 SPM (mg/m3)	送風量 m3/h	NOx除去率		NO2除去率		SPM 除去率
	NO (ppm)	NO2 (ppm)	NOX (ppm)	NO (ppm)	NO2 (ppm)	NOX (ppm)	NO (ppm)	NO2 (ppm)	NOX (ppm)				(上)	(下)	(上)	(下)	
6/1																	
6/2																	
6/3																	
6/4	0.024	0.008	0.031	0.001	0.000	0.001	0.001	0.000	0.001	0.043	0.003	28788	98%	97%	98%	98%	93%
6/5	0.045	0.011	0.055	0.007	0.000	0.008	0.008	0.000	0.008	0.048	0.002	26027	86%	86%	96%	96%	95%
6/6	0.020	0.009	0.028	0.004	0.000	0.004	0.003	0.000	0.003	0.036	0.002	27982	85%	90%	96%	96%	96%
6/7	0.030	0.012	0.041	0.001	0.000	0.001	0.003	0.000	0.003	0.065	0.000	28784	97%	93%	99%	96%	99%
6/8	0.017	0.009	0.025	0.001	0.000	0.001	0.002	0.000	0.002	0.044	0.000	28784	97%	91%	98%	97%	99%
6/9	0.036	0.010	0.045	0.001	0.000	0.002	0.003	0.000	0.004	0.064	0.001	28782	96%	92%	97%	95%	99%
6/10	0.030	0.012	0.040	0.001	0.000	0.002	0.003	0.000	0.004	0.066	0.001	28782	96%	91%	97%	97%	99%
6/11	0.029	0.010	0.038	0.001	0.000	0.001	0.003	0.000	0.003	0.075	0.001	28781	96%	91%	97%	97%	99%
6/12	0.027	0.009	0.035	0.001	0.000	0.001	0.003	0.000	0.003	0.045	0.000	28782	96%	92%	97%	97%	99%
6/13	0.021	0.012	0.032	0.001	0.000	0.001	0.003	0.000	0.003	0.029	0.000	28784	96%	91%	97%	98%	99%
6/14	0.017	0.010	0.026	0.001	0.000	0.001	0.003	0.000	0.003	0.034	0.000	28789	96%	89%	98%	99%	99%
6/15	0.011	0.006	0.016	0.001	0.000	0.001	0.003	0.000	0.002	0.031	0.000	28792	97%	85%	99%	100%	99%
6/16	0.011	0.007	0.017	0.001	0.000	0.001	0.002	0.000	0.002	0.039	0.000	28788	96%	86%	99%	99%	99%
6/17	0.009	0.008	0.016	0.001	0.000	0.001	0.002	0.000	0.002	0.034	0.000	28789	97%	87%	99%	99%	99%
6/18	0.018	0.010	0.027	0.001	0.000	0.001	0.003	0.000	0.003	0.041	0.001	28789	97%	88%	99%	99%	98%
6/19	0.017	0.009	0.026	0.001	0.000	0.001	0.003	0.000	0.003	0.036	0.000	28789	96%	86%	99%	98%	99%
6/20	0.029	0.007	0.035	0.001	0.000	0.002	0.003	0.001	0.004	0.024	0.000	28789	95%	89%	96%	92%	99%
6/21	0.015	0.006	0.020	0.001	0.000	0.001	0.001	0.001	0.002	0.021	0.000	28787	96%	89%	95%	80%	98%
6/22	0.008	0.004	0.011	0.000	0.000	0.000	0.000	0.000	0.001	0.016	0.000	28787	98%	92%	99%	89%	99%
6/23	0.031	0.006	0.037	0.001	0.001	0.002	0.002	0.002	0.004	0.023	0.000	28789	95%	89%	90%	64%	99%
6/24	0.028	0.009	0.036	0.001	0.001	0.002	0.002	0.002	0.004	0.034	0.001	28789	95%	88%	94%	72%	98%
6/25	0.010	0.005	0.014	0.000	0.000	0.000	0.000	0.000	0.001	0.020	0.000	28788	99%	94%	99%	90%	100%
6/26	0.036	0.006	0.041	0.001	0.000	0.001	0.002	0.002	0.004	0.031	0.001	28788	97%	90%	95%	65%	98%
6/27	0.030	0.005	0.034	0.000	0.000	0.001	0.001	0.001	0.002	0.020	0.000	28788	98%	95%	98%	84%	98%
6/28	0.050	0.004	0.053	0.001	0.000	0.001	0.003	0.001	0.003	0.046	0.001	28788	97%	94%	96%	84%	98%
6/29	0.048	0.002	0.049	0.002	0.000	0.002	0.001	0.000	0.001	0.018	0.000	28787	96%	98%	100%	97%	100%
6/30	0.034	0.006	0.039	0.002	0.000	0.002	0.003	0.001	0.004	0.020	0.000	27096	94%	89%	97%	85%	99%
平均	0.025	0.008	0.032	0.001	0.000	0.002	0.002	0.001	0.003	0.037	0.001	28592	96%	90%	97%	91%	98%

・6月1日から3日は、パソコンの不具合によりデータが蓄積できていない。



山科側	入口濃度			出口(上)濃度			出口(下)濃度			入口濃度	出口濃度	送風量	NOx除去率		NO2除去率		SPM除去率
	NO (ppm)	NO2 (ppm)	NOx (ppm)	NO (ppm)	NO2 (ppm)	NOx (ppm)	NO (ppm)	NO2 (ppm)	NOx (ppm)	SPM (mg/m3)	SPM (mg/m3)	m3/h	(上)	(下)	(上)	(下)	
7/1	0.019	0.008	0.026	0.001	0.000	0.001	0.001	0.001	0.002	0.024	0.001	28787	97%	93%	97%	87%	97%
7/2	0.013	0.009	0.021	0.000	0.000	0.000	0.001	0.001	0.001	0.032	0.001	28786	98%	93%	98%	91%	98%
7/3	0.005	0.006	0.010	0.000	0.000	0.000	0.000	0.000	0.000	0.019	0.000	28785	100%	95%	100%	95%	99%
7/4	0.026	0.012	0.037	0.000	0.000	0.001	0.001	0.001	0.003	0.052	0.001	28784	98%	93%	98%	89%	97%
7/5	0.020	0.011	0.029	0.000	0.000	0.000	0.001	0.001	0.002	0.050	0.001	28782	99%	95%	99%	94%	97%
7/6	0.001	0.005	0.005	0.000	0.000	0.000	0.000	0.000	0.000	0.036	0.001	28783	100%	100%	100%	99%	97%
7/7	0.005	0.010	0.014	0.001	0.000	0.001	0.001	0.000	0.001	0.034	0.001	28637	91%	90%	99%	99%	97%
7/8	0.038	0.017	0.054	0.001	0.000	0.001	0.002	0.001	0.002	0.027	0.000	28785	98%	95%	99%	95%	98%
7/9	0.021	0.012	0.032	0.000	0.000	0.001	0.001	0.000	0.001	0.034	0.001	28786	98%	96%	99%	96%	98%
7/10	0.078	0.024	0.101	0.002	0.000	0.002	0.003	0.003	0.006	0.039	0.001	28785	98%	94%	98%	88%	97%
7/11	0.060	0.026	0.085	0.001	0.000	0.002	0.003	0.002	0.004	0.036	0.001	28785	98%	95%	99%	94%	97%
7/12	0.007	0.014	0.021	0.000	0.000	0.000	0.000	0.000	0.000	0.036	0.001	28782	99%	98%	100%	99%	97%
7/13	0.003	0.014	0.016	0.000	0.000	0.000	0.000	0.000	0.000	0.035	0.001	28782	100%	99%	100%	100%	97%
7/14	0.041	0.018	0.059	0.001	0.000	0.001	0.002	0.001	0.004	0.033	0.001	28783	99%	94%	99%	93%	96%
7/15	0.022	0.018	0.039	0.000	0.000	0.000	0.001	0.001	0.001	0.037	0.001	28783	99%	97%	100%	97%	97%
7/16																	
7/17																	
7/18																	
7/19																	
7/20																	
7/21																	
7/22																	
7/23																	
7/24																	
7/25																	
7/26																	
7/27																	
7/28																	
7/29																	
7/30																	
7/31																	
平均	0.024	0.014	0.037	0.001	0.000	0.001	0.001	0.001	0.002	0.035	0.001	28774	98%	95%	99%	94%	97%

